

EPA Official Record

Notes ID: 172253EEC5B44794862578B8004903AC

From: Robert Puls/ADA/USEPA/US

To: John Satterfield <john.satterfield@chk.com>

Delivered Date: 06/23/2011 09:18 AM EDT

Subject: Re: Calls

any chance we could it on Fri mornings beginning this Fri (I am on leave Mon-Thu next week (27-30)

Robert W. Puls, Ph.D.

Ground Water and Ecosystems Restoration Division
National Risk Management Research Laboratory, USEPA
P.O. Box 1198 / 919 Kerr Research Dr.
Ada, OK 74820

puls.robert@epa.gov

580-436-8543 (phone)

405-323-8119 (mobile)

▼ John Satterfield ---06/22/2011 06:51:54 PM---Adding cara Thanks,

From: John Satterfield <john.satterfield@chk.com>

To: Robert Puls/ADA/USEPA/US@EPA, Chris Hill <chris.hill@chk.com>, Cara Maschmeier <cara.maschmeier@chk.com>

Date: 06/22/2011 06:51 PM

Subject: Re: Calls

Adding cara

Thanks,

John Satterfield

Director, Environmental and Regulatory Affairs

Chesapeake Energy Corporation

Sent from my BlackBerry

From : John Satterfield

Sent : Wednesday, June 22, 2011 06:51 PM

To : 'Puls.Robert@epamail.epa.gov' <Puls.Robert@epamail.epa.gov>; Chris Hill

Subject : Re: Calls

Other than iphones and ipads, I'm unaware of any other mac products used in chk. I can check with our IT department to confirm if your question is more than a passing inquiry.

Agree on the conf calls. Cara, pls set up for 1 hour, wednesday mornings, every two weeks.

Looks like the site visit will need to be after 4th of july. Chris is on vacation until the 10th. Do you think we can hold off until then?

Thanks,

John Satterfield
Director, Environmental and Regulatory Affairs
Chesapeake Energy Corporation

Sent from my BlackBerry

From : Puls.Robert@epamail.epa.gov [mailto:Puls.Robert@epamail.epa.gov]

Sent : Wednesday, June 22, 2011 06:39 PM

To : John Satterfield; Chris Hill

Subject : Fw: Calls

Do any of your staff use MACs as oppose to PCs

Robert W. Puls, Ph.D.
Ground Water and Ecosystems Restoration Division
National Risk Management Research Laboratory, USEPA
P.O. Box 1198 / 919 Kerr Research Dr.
Ada, OK 74820
puls.robert@epa.gov
580-436-8543 (phone)
405-323-8119 (mobile)

-----Forwarded by Robert Puls/ADA/USEPA/US on 06/22/2011 06:38PM -----

To: "John Satterfield" <john.satterfield@chk.com>, chris.hill@chk.com

From: Robert Puls/ADA/USEPA/US

Date: 06/22/2011 02:20PM

Subject: Calls

John

If we want to stick to the schedule we need to do a site visit soon. Also I would propose setting up routine calls every 2 weeks.

Bob

This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).